



# **BRILL**® Mixed Viscosity Table

**0W-20 × 17.5W-50**

0W-20	17.5W-50	Viscosity(40°C)	Viscosity(100°C)	Mixed Viscosity Grade
100%	0%	43.2	8.15	0W-20
95%	5%	45.8	8.52	2.5W-25
90%	10%	48.6	8.90	2.5W-25
85%	15%	51.5	9.30	5W-25
80%	20%	54.7	9.72	5W-25
75%	25%	58.0	10.2	5W-30
70%	30%	61.5	10.6	5W-30
65%	35%	65.3	11.1	7.5W-30
60%	40%	69.3	11.6	7.5W-30
55%	45%	73.6	12.2	7.5W-35
50%	50%	78.1	12.7	7.5W-35
45%	55%	82.9	13.3	10W-35
40%	60%	88.1	13.9	10W-40
35%	65%	93.5	14.6	10W-40
30%	70%	99.4	15.3	10W-40
25%	75%	105.5	16.0	12.5W-40
20%	80%	112.1	16.7	12.5W-45
15%	85%	119.1	17.5	15W-45
10%	90%	126.5	18.3	15W-50
5%	95%	134.5	19.2	17.5W-50
0%	100%	142.9	20.1	17.5W-50

Unit for Viscosity mm<sup>2</sup>/S