



Mixed Viscosity Table

10W-40 × 15W-50

10W-40	15W-50	Viscosity(40°C)	Viscosity(100°C)	Mixed Viscosity Grade
100%	0%	93.5	14.3	10W-40
95%	5%	95.2	14.5	10W-40
90%	10%	96.9	14.7	10W-40
85%	15%	98.6	14.9	10W-40
80%	20%	100.4	15.1	12.5W-40
75%	25%	102.2	15.3	12.5W-40
70%	30%	104.0	15.5	12.5W-40
65%	35%	105.9	15.8	12.5W-40
60%	40%	107.7	16.0	12.5W-40
55%	45%	109.7	16.2	12.5W-40
50%	50%	111.6	16.4	15W-45
45%	55%	113.6	16.7	15W-45
40%	60%	115.6	16.9	15W-45
35%	65%	117.7	17.1	15W-45
30%	70%	119.8	17.4	15W-45
25%	75%	121.9	17.6	15W-50
20%	80%	124.1	17.9	15W-50
15%	85%	126.3	18.1	15W-50
10%	90%	128.6	18.4	15W-50
5%	95%	130.9	18.6	15W-50
0%	100%	133.2	18.9	15W-50

Unit for Viscosity mm²/S